THE SOUTHWESTERN NATURALIST 50(4):527–541 DECEMBER 2005

INDEX TO VOLUME 50

Troy L. Best

Department of Biological Sciences and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abedus, 241
Abies, 8, 293
  coahuilensis, 94, 502
  concolor, 199, 325, 370, 462
  lasiocarpa, 462, 508
Abnormal digits in Strecker's chorus frogs (*Pseudacris streckeri*, Hylidae) from central Texas, Marcos Gridi-Papp and Cristina O. Gridi-Papp, 490–494
Abronia maritima, 134, 139–141
Abronietum maritimae, 134, 138, 140, 141
Abutilon pringley, 147
Acacia
  biaciculata, 69
  brandegeana, 146
  cimbispina, 147
  constricta, 69–74
  glandulifera, 69
  neovernicosa, 69–73
  schottii, 69–74
  smallii, 479
Acalipha californica, 142, 143, 146
Acanthocephalan (*Neoechinorhynchus emydis*) infections in Texas map turtles (*Graptemys versa*), Peter V. Lindeman and Michael A. Barger, 12–16
Acer negundo, 199
Acheta domesticus, 217
Acris crepitans, 268, 269
Actitis macularia, 318, 320
Aedes, 241
Aeshnidae, 242
Agavaceae, 476
Agave, 137
  cerulata, 132, 144
  sobria, 133, 146
  vizcainoensis, 141, 143
Agavetum subcerulatae, 141, 149
Agavo, 137
  cerulatae, 137, 149
Agkistrodon
  bilineatus, 24–28
  contortrix, 269
  piscivorus, 269
  piscivurus, 29
Agropyron repens, 213
Aguirre, Juan L., see Peinado, Manuel, —
Alces alces, 469
Allen, Vivien G., see McDonald, Christopher G., —
Allenrolfea occidentalis, 134, 140, 142
Allenrolfeetum occidentalis, 129, 134, 138, 140, 147, 149
Allometry, sexual size dimorphism, and niche partitioning in the Mediterranean gecko (*Hemidactylus turcicus*), James B. Johnson, Lance D. McBrayer, and Daniel Saenz, 435–439
Amaranthaceae, 213
Amblyomma americanum, 59
Ambrosia
  brianthii, 144
  camphorata, 144
  chenopodifolia, 132, 143, 144, 147
  deltoidea, 485
  dumosa, 136, 141, 143, 145, 147
  megdalenae, 145
Ambrysus californicus, 242
Ambystoma, 368
  lermaensis, 254
  tigrinum, 365
Ambystomatidae, 363, 365
Amelanchier alnifolia, 213
Americabaetis, 241
Ammodramus savannarum, 231
Amphispiza
  belli, 443, 446
  bilineata, 440, 443
Anax
  junius, 242
  walsinghami, 242
Ancylidae, 244
Andrena, 294, 297–299
Andrenidae, 297
Androlaelaps fahrenholzi, 90
Andropogon, 398
  gerardi, 213
  gerardii, 268
Angiocaulus, 38
  gubernaculatum, 37
  gubernaculatus, 32
Anguidae, 25, 497–498
Annona cherimola, 472–475, 477
Annonaceae, 475
Anoura geoffroyi, 97
Anthomyia, 291, 294, 295, 299
Anthomyiidae, 295
Antigonon leptopus, 441
Antigonum leptopus, 146
Antrozous pallidus, 200, 202, 203
Apalone
  mutica, 166, 169
  spinifera, 166, 168, 169
Apantesis, 297
Aphelocoma californica, 442
Apidae, 297, 298
Apis mellifera, 307–311
Aplectana, 255
  incerta, 254
Aplodinotus grunniens, 162
Apteragia
  odocoilei, 59–61
  pursglovei, 59
Aquarius, 241
Aquatic invertebrates of Cuatro Ciénegas, Coahuila, México: natives and exotics, Eric C. Dinger, Adam E. Cohen, Dean A. Hendrickson, and Jane C. Marks, 237–246
Aquila chrysaetos, 32, 33, 441, 446
Arbutus arizonica, 7–11
Arceuthobium
  microcarpum, 462
  vaginatum, 464
Arcthrocnemum subterminale, 135
Arctiidae, 297
Arctostaphylos, 473, 477
  glauca, 472, 473, 475, 476

Ardea
alba, 320
herodias, 252
Arecaceae, 475, 476
Arenas-Ríos, Edith, see León-Galván, Miguel A., —
Argia
fumipennis, 242
nahuana, 242
plana, 242
pulla, 242
sedula, 242
tonto, 242
translata, 242
Aristida purpurea, 275
Arnold, Keith A., see Brooks, Daniel M., and —
Artemisia, 211, 371
tridentata, 4, 18, 213, 370
Arthrocnemetum subterminalis, 135, 149
Artibeus
inopinatus, 97
intermedius, 97
jamaicensis, 97
lituratus, 97
Ashe, Vikki A., see Geluso, Keith, —
Asimina triloba, 472
Asiochirus blarina, 90, 91
Aspidoscelis
deppii, 262–267
exsanguis, 172–176, 260
flagellicauda, 260
gularis, 172, 176, 260, 269
guttata, 262–267
laredoensis, 172, 173, 176
neomexicana, 172–176
tesselata, 172–176, 258–262
tigris, 172–176, 260
Asteraceae, 213, 476
Astragulus miguelensis, 34
Astyanax mexicanus, 76
Atamisquea emarginata, 145
Athene cunicularia, 499
Atiplex julacea, 139
Atopschye, 243
Atriplex, 213
barclayana, 140–145
californica, 34
canescens, 4, 134, 139, 140, 142, 145, 189, 275
confertifolia, 18, 189
julacea, 133, 138, 140–143, 145
patula, 3
polycarpa, 133, 142–145
prostata, 3
watsonii, 141
Atriplicetosum canescentis, 138, 139
Atriplicetum polycarpae, 129, 133, 142, 144, 145, 147
Atriplici, 147
julaceae, 133, 149
Atypical pair-bonding behavior among golden-fronted woodpeckers (*Melanerpes aurifrons*), Michael S. Husak, 85–88
Auriparus flaviceps, 440, 442
Avena, 34
Aversive behavior of beaded lizard, *Heloderma horridum*, to sympatric and allopatric predator snakes, Carlos J. Balderas-Valdivia and Aurelio Ramírez-Bautista, 24–31
Avian mortality during fall 2001 migration at communication towers along the Rio Grande corridor in southern New Mexico, correction for, Daniel L. Ginter and Martha J. Desmond, 520
Avicennia germinans, 135
Avicennietum germinantis, 135, 149
Aztlanolagus, 366
agilis, 365

Babb, Marie E., see Stone, Paul A., —
Babb, Randall D., George L. Bradley, Thomas C. Brennan, and Andrew T. Holycross, Preliminary assessment of the diet of *Gyalopion quadrangulare* (Serpentes: Colubridae), 390–392
Baccharis
halimifolia, 398
pilularis, 34
Bacopa, 249
Baetidae, 241
Baetis, 241
Baetodes, 241
Bakerdania, 90
Balantiopteryx plicata, 97
Balderas-Valdivia, Carlos J., and Aurelio Ramírez-Bautista, Aversive behavior of beaded lizard, *Heloderma horridum*, to sympatric and allopatric predator snakes, 24–31
Ballard, Warren B., see Kamler, Jan F., —
Barger, Michael A., see Lindeman, Peter V., and —
Barisia
imbricata, 179, 254
monticola, 179
Bartels, Brian C., see Ritzi, Christopher M., —
Barton, Andrew M., Response of *Arbutus arizonica* (Arizona madrone) to fire in southeastern Arizona, 7–11
Bartramia longicauda, 233
Batido maritimae, 135, 149
Batis maritima, 135, 398
Bats from El Salvador, three new records of, James G. Owen, 96–99
Bauer, Jim W., Kenneth A. Logan, Linda L. Sweanor, and Walter M. Boyce, Scavenging behavior in puma, 466–471
Bebbia
atriplicifolia, 134
juncea, 134, 136, 142, 143, 145, 146
Beckman, Daniel W., see Wakefield, Carl K., and —
Bell, Christopher J., see Murray, Lyndon K., —
Belostoma, 241
Belostomatidae, 241
Berberis repens, 213
Berginia glandulosa, 132
Berosus, 240
Bersera microphylla, 132
Bever, Gabe S., Morphometric variation in the cranium, mandible, and dentition of *Canis latrans* and *Canis lepophagus* (Carnivora: Canidae) and its implications for the identification of isolated fossil specimens, 42–56
Bezzia, 240
Biomphalaria, 416
Bison, 364
Black bears forage on army cutworm moth aggregations in the Jemez Mountains, New Mexico, Jonathan D. Coop, Charles D. Hibner, Aaron J. Miller, and Gregory H. Clark, 278–281
Black-necked stilt (*Himantopus mexicanus*) breeding range extension in Mexico, Armando J. Contreras-Balderas, 84–85
Blair, Albert Patrick, 1913–2004, Peggy Hill and Steven Goldsmith, 282–283
Blarina
brevicauda, 88–92
carolinensis, 88–92
hylophaga, 88–93
Blarinobia simplex, 90, 91
Block, William M., see Ganey, Joseph L., —
Boa constrictor, 24–29
Bogan, Michael A., see Ellison, Laura E., —
Bogan, Michael A., see Geluso, Keith, —
Boidae, 25, 28
Bombylius, 299
Bonner, Timothy H., Chad Thomas, Casey S. Williams, and John P. Karges, Temporal assessment of a West Texas stream fish assemblage, 74–78
Bonner, Timothy H., see Patrikeev, Michael, —
Borrichia frutescens, 398
Bothriochloa saccharioides, 268
Bouteloua curtipendula, 268
Bowers, Janice E., New evidence for persistent or transient seed banks in three Sonoran Desert cacti, 482–487
Boyce, Walter M., see Bauer, Jim W., —

Brabata, Georgina, see Carmona, Roberto, —
Brachylagus, 367, 368
coloradoensis, 366
idahoensis, 363–366, 370, 371
Brachyvatus, 240
Bradley, George L., see Babb, Randall D., —
Bradley, Robert D., see Carroll, Darin S., and —
Brennan, Thomas C., see Babb, Randall D., —
Bromus, 34
tectorum, 17–23
Brooks, Daniel M., and Keith A. Arnold, Unusual tail measurements of *Bubo virginianus* from Texas, 498–501
Bruchidae, 381
Bryson, Robert W., Jr., Hobart M. Smith, and Julio Lemos-Espinal, Taxonomic status of the Madrean alligator lizard (Lacertilia: Anguidae) of the Sierra del Nido, Chihuahua, México, 497–498
Bubo virginianus, 442, 498–501
Bufo, 167
debilis, 269
marinus, 251, 252, 254, 255
nebulifer, 251, 252, 254, 255, 269
valliceps, 255
woodhousei, 209, 269
Bufonidae, 269
Bulinus, 416
Bursera
aptera, 376
epinnata, 147
filicifolia, 147
hindsiana, 132, 141, 143, 144, 146
microphylla, 141, 143, 144, 146
odorata, 146
Burseretum
hindsiano-microphyllae, 132, 141, 149
microphyllae, 129, 141, 144
Buteo
jamaicensis, 446
jamicensis, 37
swainsoni, 520
Bythotrephes cederstroemi, 159

C. dukae, 254
Cactaceae, 65–68, 375–380, 475, 483
Caecidotea, 386, 387
Caenidae, 241
Caenis, 241
Cain, James W., III, and Brian D. Jansen, Tree swallow entangled on teddy bear cholla spines, 272–273
Cain, James W., III, Heather E. Johnson, and Paul R. Krausman, Wildfire and desert bighorn sheep habitat, Santa Catalina Mountains, Arizona, 506–513
Cakile maritima, 141
Calidris
himantopus, 320
mauri, 320
Callibaetis, 241
Calopterygidae, 242
Calypte
anna, 442
costae, 440, 442
Cambaridae, 243, 245
Camelobaetidius, 241
Cameron, Guy N., and Beth L. Kruchek, Use of coastal wetlands by hispid cotton rats (*Sigmodon hispidus*), 397–402
Camissonia
cheiranthifolia, 141
crassifolia, 134, 138–140, 142, 143, 145
Camissonio crassifoliae, 129, 134, 138, 139
Campbell, Tyler A., see McDonald, Christopher G., —
Campostoma anomalum, 76, 77
Canidae, 42–56
Canis
latrans, 42–56, 216–222, 467, 472–478
lepophagus, 42–56
lupus, 44, 45, 47–52, 56
rufus, 44, 45, 47–52, 56
Carabidae, 91
Carcharhinus leucas, 383
Cardinalis
cardinalis, 442
sinuatus, 442
Cardiospermum corindum, 142, 143, 146
Carmona, Roberto, Gorgonio Ruiz-Campos, José Alfredo Castillo-Guerrero, and Georgina Brabata, Patterns of occurrence and abundance of land birds on Espíritu Santo Island, Gulf of California, México, 440–447
Carnegiea gigantea, 65–68, 377, 379, 482–487, 513–515
Carnivora, 42–56
Carollia
brevicauda, 96
perspicillata, 96, 97
sowelli, 96–99
subrufa, 96, 97
Carpiodes carpio, 76, 77
Carpobrotus aequilaterus, 141
Carpodacus mexicanus, 440, 443
Carroll, Darin S., and Robert D. Bradley, Systematics of the genus *Sigmodon*: DNA sequences from beta-fibrinogen and cytochrome *b*, 342–349
Carya illinoiensis, 86
Cassia villosa, 147
Castañeda Guyasamin, Gabriela, see McCormack, John E., —
Castela tortuosa, 376
Castillo-Guerrero, José Alfredo, see Carmona, Roberto, —
Castor canadensis, 469
Cathartes aura, 446, 468
Catherpes mexicanus, 442
Catostomus commersoni, 423–434
Ceiba parvifolia, 376
Celtis
laevigata, 479
pallida, 479
reticulata, 268
Centrocercus
gunnisoni, 209
urophasianus, 209
Centruroides exilicauda, 392
Centurio senex, 97
Cephalogonimidae, 253
Cephalogonimus americanus, 251, 252, 253, 255
Ceratopogonidae, 240
Cercidium, 308, 441
microphyllum, 136, 141, 144, 146, 485
peninsulare, 146
praecox, 376
Cercocarpus montanus, 213
Cernotina, 243
Cervus elaphus, 469
Chabaudgolvania, 251–253, 255
elongata, 254
Chara, 249
Characteristics of seedling establishment of *Stenocereus stellatus* (Cactaceae) in the Tehuacán Valley, Mexico, Héctor Godiñez-Alvarez, Leticia Ríos-Casanova, and Fabiola Pérez, 375–380
Charadrius
semipalmatus, 320
vociferus, 318, 319
Charina, 25
trivirgata, 24, 26–28
Chelydra serpentina, 14, 166, 168–170, 269
Chen caerulescens, 320
Chenopodiaceae, 213
Chiroderma
salvini, 97
villosum, 97
Chironomidae, 240
Chiroptera, 453–460
Chloroleucon ebano, 479
Choate, Jerry R., see Pitts, Richard M., —
Choeroniscus godmani, 97
Chondestes grammacus, 231, 443
Chordeiles acutipennis, 442
Chrotopterus auritus, 97
Chrysemys picta, 14
Chrysocyon brachyurus, 477
Chrysops, 241
Chrysothamnus teretifolius, 189
Cicadellidae, 91
Cichlasoma cyanoguttatum, 76
Circium, 213

Circus cyaneus, 446, 448–452
Citrus, 473, 476, 477
Clark, Gregory H., see Coop, Jonathan D., —
Clarke, H. David, John E. Ebinger, and David S. Seigler, Probable hybridization in the *Acacia constricta* species group (Fabaceae: Mimosideae), 69–74
Clemmys guttata, 14
Clinostomidae, 253
Clinostomum, 251, 253–255
helvans, 252
intermediale, 252
Cnemidophorus, 172, 185, 259
tigris, 21
Cnidoscolus angustidens, 146
Coastal wetlands by hispid cotton rats (*Sigmodon hispidus*), use of, Guy N. Cameron and Beth L. Kruchek, 397–402
Cobicula fluminea, 244
Cocculus diversifolius, 479
Cochemia poselgeri, 146
Coenargrionidae, 242
Cohen, Adam E., see Dinger, Eric C., —
Colaptes
auratus, 347
chrysoides, 442
Coluber constrictor, 269
Colubridae, 28, 29, 390–392
Columbina passerina, 446
Comparative escape behavior of Chihuahuan Desert parthenogenetic and gonochoristic whiptail lizards, Paul Hotchkin and Hector Riveroll, Jr., 172–177
Condalia
brandegeei, 147
globosa, 146
Connell, Mary U., see Estep, M. C., —
Constitution, Southwestern Association of Naturalists, 107–121
Contreras-Balderas, Armando J., Black-necked stilt (*Himantopus mexicanus*) breeding range extension in Mexico, 84–85
Convolvulaceae, 380–384
Coonan, Timothy J., Catherin A. Schwemm, Gary W. Roemer, David K. Garcelon, and Linda Munson, Decline of an island fox subspecies to near extinction, 32–41
Coop, Jonathan D., Charles D. Hibner, Aaron J. Miller, and Gregory H. Clark, Black bears forage on army cutworm moth aggregations in the Jemez Mountains, New Mexico, 278–281
Corbicula, 14
fluminea, 245
Corbiculidae, 245
Cordes, James E., see Taylor, Harry L., —
Coreopsis gigantea, 34
Corixidae, 241
Cornus stolonifera, 213
Corrodopsylla curvata, 90, 91
Corvus
brachyrhynchos, 468
corax, 442, 468
Corydalidae, 242
Corydalus luteus, 242
Corynorhinus
mexicanus, 453–460
townsendii, 202, 203, 453, 458
Coryphantha
robustispina, 484
vivipara, 213
Cosmocercidae, 253
Cosmocercoides, 251–253, 255
variabilis, 254
Cotinis, 91
Covus corax, 278
Cricetidae, 366
Crotalaria eriocarpa, 146
Crotalidae, 28
Crotalus
atrox, 269
basiliscus, 24–28
molossus, 24–29
triseriatus, 24–29
viridis, 29, 209
Crotaphytus collaris, 209, 269
Ctenopthalmus pseudogyrtes, 90, 91
Cucumis, 472, 473, 475
Cucurbita cordata, 144
Cucurbitaceae, 475
Culicidae, 241
Culicoides, 240
Cupressaceae, 476
Cupressus arizonica, 502
Curculionidae, 91, 240
Cuscuta salina, 135
Cybister, 240
Cynanchum peninsulare, 142
Cynomys, 364
Cyprinella
lutrensis, 75–77, 488
proserpina, 75–77, 247
venusta, 76, 77
Cyprinodon
nevadensis, 313
pecosensis, 76, 77
tularosa, 312–317
variegatus, 76, 77, 313, 316
Cyprinus carpio, 76, 77
Cyrtocarpa edulis, 147
Cyrtolaelapidae, 90
Cyrtolaelaps, 90

Dalea
megalostachya, 144
mollis, 139
spinosa, 142
Daleetum spinosae, 142
Danthonia spicata, 94
Daphnia
galeata, 158, 160
lumholtzi, 158–165
parvula, 158, 160
Dasylirion leiophyllum, 95
Dasypus novemcinctus, 104
Decline of an island fox subspecies to near extinction, Timothy J. Coonan, Catherin A. Schwemm, Gary W. Roemer, David K. Garcelon, and Linda Munson, 32–41
Delgadillo, José, see Peinado, Manuel, —
Delgadillo Villalobos, Jonaś A., Bonnie Reynolds McKinney, Felicianao Heredia Pineda, and Santiago Gibert Isern, Nest record of *Sorex milleri* from Maderas del Carmen, México, 94–95
Demarais, Steve, see McDonald, Christopher G., —
Dendrobates auratus, 493
Dendrobatidae, 493
Dendroica
coronata, 279
petechia, 446
townsendi, 442
Dermacentor variabilis, 90
Dermanura
azteca, 97
phaeotis, 97
tolteca, 97
Desert horned lizard (*Phrynosoma platyrhinos*) locomotor performance: the influence of cheatgrass (*Bromus tectorum*), T. A. Scott Newbold, 17–23
Desmodus rotundus, 97
Desmond, Martha J., see Ginter, Daniel L., and —
Devall, Margaret S., and Leonard B. Thien, Inland occurrence of the strand plant *Ipomoea pes-caprae* (Convolvulaceae) around Lake Nicaragua, 380–384
deVos, James C., Jr., see Jansen, Brian D., —
Diaemus youngi, 97
Didelphis virginiana, 477
Diet and tree use of Abert's squirrels (*Sciurus aberti*) in a mixed-conifer forest, Andrew J. Edelman and John L. Koprowski, 461–465
Diet of *Gyalopion quadrangulare* (Serpentes: Colubridae), preliminary assessment of the, Randall D. Babb, George L. Bradley, Thomas C. Brennan, and Andrew T. Holycross, 390–392
Digestive efficiency of collared peccaries and wild pigs, Jennifer J. Elston, Edward A. Klinksiek, and David G. Hewitt, 515–519

Dillon, Robert T., Jr., John D. Robinson, Thomas P. Smith, and Amy R. Wethington, No reproductive isolation between freshwater pulmonate snails *Physa virgata* and *P. acuta*, 415–422
Diminutive woodrat (*Nelsonia neotomodon*) in Chihuahua, Mexico, Diego F. García-Mendoza and Celia López-Gonzalez, 503–506
Dinger, Eric C., Adam E. Cohen, Dean A. Hendrickson, and Jane C. Marks, Aquatic invertebrates of Cuatro Ciénegas, Coahuila, México: natives and exotics, 237–246
Dionda
diaboli, 246–251
episcopa, 75–77
Dionda diaboli and report of established populations of exotic fish species in lower San Felipe Creek, Val Verde County, Texas, status of, Hernán López-Fernández and Kirk O. Winemiller, 246–251
Diospyros
texana, 472
virginiana, 472
Diphylla ecaudata, 97
Diplocentrus spitzeri, 390–392
Dipodomys ordii, 91
Dirofilaria immitis, 38
Distichlis spicata, 134, 275
Distochometra bufonis, 254, 255
Distoichometra bufonis, 251, 253
Ditchkoff, Stephen S., Steven R. Hooper, Robert L. Lochmiller, Ronald E. Masters, and Ronald A. Van Den Bussche, *MHC-DRB* evolution provides insight into parasite resistance in white-tailed deer, 57–64
Divaricatae, 292
Dixella, 241
Dixidae, 241
Dolan, M. Timothy, see Murray, Lyndon K., —
Doradidae, 247
Doratopsylla blarinae, 90, 91
Dorosoma cepedianum, 76, 77
Draeculaecephalis, 91
Drezner, Taly Dawn, Saguaro (*Carnegiea gigantea*, Cactaceae) growth rate over its American range and the link to summer precipitation, 65–68
Drosophila, 416
Drymarchon, 25
corais, 24, 26–29
Dryopidae, 240
Dudleya lanceolata, 142
Dugesia, 244
Dytiscidae, 240

Ebinger, John E., see Clarke, H. David, —
Echinocereus
brandegeei, 136, 144, 146
engelmannii, 132, 146
fasciculatus, 485
maritimus, 142, 143
Echinonyssus blarinae, 90, 91
Ectoparasites and food habits of Elliot's short-tailed shrew, *Blarina hylophaga*, Christopher M. Ritzi, Brian C. Bartels, and Dale W. Sparks, 88–93
Edelman, Andrew J., and John L. Koprowski, Diet and tree use of Abert's squirrels (*Sciurus aberti*) in a mixed-conifer forest, 461–465
Ehretia anacua, 480
Eichhornia crassipes, 381
Elaphe
obsolete, 269
slowinskii, 269
Elgaria
kingii, 497–498
usafa, 497–498
Ellison, Laura E., A. Lance Everette, and Michael A. Bogan, Examining patterns of bat activity in Bandelier National Monument, New Mexico, by using walking point transects, 197–208
Elmidae, 240
Elston, Jennifer J., Edward A. Klinksiek, and David G. Hewitt, Digestive efficiency of collared peccaries and wild pigs, 515–519
Emballonuridae, 97
Empididae, 297
Empidonax
difficilis, 442
hammondii, 520
wrightii, 442
Emslie, Steven D., Mark Stiger, and Ellen Wambach, Packrat middens and late Holocene environmental change in southwestern Colorado, 209–215
Emydoidea blandingii, 14
Emyididae, 12
Enallagma basidens, 242
Encelia
farinosa, 132, 133, 139, 142–145
laciniata, 139
ventorum, 134, 138, 139, 141, 145
Encelietum ventori, 129, 134, 138, 139
Encelio phenocodontae, 129, 133, 142, 144, 145, 147
Enchisthenes hartii, 97
Endogone, 91
Enochrus, 240
Ephedra
aspera, 143
californica, 134, 140, 142
Ephedretosum californicae, 140, 142
Ephemeridae, 241
Epitedia wenmanni, 90
Eptesicus
furinalis, 96–99
fuscus, 97, 200–203
Equus, 363
Ericaceae, 475, 476
Ericameria viscidiflora, 213
Eriogonum fasciculatum, 132, 189
Erpetogomphus compositus, 243
Errazurizia
benthamii, 133, 141, 143, 144
megacarpa, 139, 145
Errazurizio benthamii, 129, 133, 140, 143
Escontria chiotilla, 376
Estep, M. C., Mary U. Connell, Richard N. Henson, Zack E. Murrell, Randall L. Small, Testing a vicariance model to explain haplotype distribution in the psammophilic scorpion *Paruroctonus utahensis*, 150–157
Etheostoma grahami, 75–77, 247
Euderma maculatum, 200–203, 402–407
Eulaelaps stabularis, 89, 90
Eulamprus heatwolei, 29
Eumeces
copei, 179, 183, 184
lynxe, 179, 183, 184
septentrionalis, 269
tetragrammus, 269, 270
Eumops
auripendulus, 97
underwoodi, 97
Euphorbia
eriantha, 145
magdalenae, 143
misera, 133, 139, 141–143, 145
xanti, 144, 147
Eurycea
longicauda, 386, 387
lucifuga, 386, 387
spelaeus, 386, 387
Euschoengastia diversa, 90
Euxoa
auxiliaries, 297
auxiliaris, 278–281
Everette, A. Lance, see Ellison, Laura E., —
Examining patterns of bat activity in Bandelier National Monument, New Mexico, by using walking point transects, Laura E. Ellison, A. Lance Everette, and Michael A. Bogan, 197–208

Fabaceae, 69–74, 475
Fagonia laevis, 144
Falco peregrinus, 441, 442, 446
Falleeon, 241
Felis concolor, 103
Fenolio, Danté B., G. O. Graening, and Jim F. Stout, Seasonal movement patterns of pickerel frogs (*Rana palustris*) in an Ozark cave and

tropic implications supported by stable isotope evidence, 385–389
Feral Africanized honey bees (*Apis mellifera*) in Sonoran Desert habitats of southwestern Arizona, Michael J. Rabe, Steven S. Rosenstock, and David I. Nielsen, 307–311
Ferguson, Carolyn J., see Strakosh, Suzanne C., and —
Ferocactus, 141
acanthodes, 133, 379
chrysacanthus, 143
cylindraceous, 379
cylindraceus, 484
gracilis, 136, 144
peninsulae, 484
towsendianus, 132, 144, 146
wislizeni, 482–487
Ficus, 472, 473, 475
palmeri, 441
Fitzgerald, Lee A., see Ryberg, Wade A., and —
Forestiera pubescens, 268
Formicidae, 91, 302–306
Fortes, Iris, see Munguia, Pablo, —
Fouquieria diguetii, 135, 141, 143–146, 441
Fouquierietum diguetii, 133, 141, 144, 147
Fox, Stanley F., see Riedle, J. Daren, —
Fragaria, 472, 474, 475
Frankenia
palmeri, 133, 138–143, 145
salina, 135
Frankenietum palmeri, 133, 147, 149
Frankenio salinae, 135, 149
Fraxinus, 209
Freshwater turtle assemblages in central Oklahoma farm ponds, Paul A. Stone, Sara M. Powers, and Marie E. Babb, 166–171
Fundulotrema prolongis, 313
Fundulus zebrinus, 76

Gallo-Reynoso, Juan-Pablo, see Navarro-Serment, Carlos J., —
Gambusia, 75, 77
affinis, 76
geiseri, 76
speciosa, 76
Gammarus, 387
Ganey, Joseph L., William M. Block, James P. Ward, Jr., and Brenda E. Strohmeyer, Home range, habitat use, survival, and fecundity of Mexican spotted owls in the Sacramento Mountains, New Mexico, 323–333
Gannon, William L., see Sherwin, Richard E., and —
Garcelon, David K., see Coonan, Timothy J., —
García-Mendoza, Diego F., and Celia López-González, Diminutive woodrat (*Nelsonia neotomodon*) in Chihuahua, Mexico, 503–506
Gastrophryne olivacea, 269
Geluso, Keith, Justin D. Hoffman, Vikki A. Ashe, Jeremy A. White, and Michael A. Bogan, Westward expansion of the tawny-bellied cotton rat (*Sigmodon fulviventer*) in west-central New Mexico, 273–277
Genetic diversity within the Llano pocket gopher, *Geomys texensis*, L. Rex McAliley and Philip D. Sudman, 334–341
Genetic structure of American mink (*Mustela vison*) populations, Richard T. Stevens, Michael L. Kennedy, and Victor R. Kelley, 350–355
Geomylichus texana, 90, 91
Geomys
arenarius, 336
breviceps, 334, 393–397
bursarius, 334, 336, 339, 393–397
knoxjonesi, 336
personatus, 339
pinetus, 339
texensis, 334–341
tropicalis, 339
Geothlypis trichas, 231
Germination of native and exotic plant seeds dispersed by coyotes (*Canis latrans*) in southern California, Robin P. Silverstein, 472–478
Gerrhonotus ophius, 254
Gerridae, 241
Ginter, Daniel L., and Martha J. Desmond, Correction for: avian mortality during fall 2001 migration at communication towers along the Rio Grande corridor in southern New Mexico, 520
Glossiphniidae, 244
Glossophaga
commissarisi, 97
leachii, 97
soricina, 97
Glyceria striata, 213
Glycyphagidae, 90
Glycyphagus hypudaei, 90, 91
Glyptemys insculpta, 14
Godínez-Alvarez, Héctor, Leticia Ríos-Casanova, and Fabiola Pérez, Characteristics of seedling establishment of *Stenocereus stellatus* (Cactaceae) in the Tehuacán Valley, Mexico, 375–380
Goldsmith, Steven, see Hill, Peggy, and —
Gomphidae, 243
Gophen, Moshe, see Lienesch, Philip W., and —
Gorgoderina megalorchis, 255
Gossypium hirsutum, 3
Graening, G. O., see Fenolio, Danté B., —
Graptemys
ernsti, 12
flavimaculata, 12
geographica, 12
nigrinoda, 12, 15
ouachitensis, 12, 166, 169
pseudogeographica, 12
versa, 12–16
Grayia spinosa, 189
Gridi-Papp, Cristina O., see Gridi-Papp, Marcos, and —
Gridi-Papp, Marcos, and Cristina O. Gridi-Papp, Abnormal digits in Strecker's chorus frogs (*Pseudacris streckeri*, Hylidae) from central Texas, 490–494
Growth characteristics of Mexican oregano (*Lippia berlandieri* Schauer) under salt stress, Ricardo Mata-González and Rubén Meléndez-González, 1–6
Gryllidae, 91
Gulo gulo, 354
Gutierrezia sarothrae, 3
Gyalopion quadrangulare, 390–392
Gyretes, 240
Gyrinidae, 240
Gyrinophilus palleucus, 388
Gyrodactylidae, 312–317
Gyrodactylus, 312–317
cyprinodontis, 312, 313, 315, 316
hargisi, 312, 313, 315, 316
mobilensis, 313
nevadensis, 313, 315, 316
saratogensis, 313, 315, 316
Gyrodactylus (Monogenoidea, Gyrodactylidae) from the White Sands pupfish, *Cyprinodon tularosa*, in New Mexico, new species of, Delane C. Kritsky and Craig A. Stockwell, 312–317

Habitat preferences of migrant and wintering northern harriers in northwestern Texas, Carroll D. Littlefield and Douglas H. Johnson, 448–452
Haematoloechus complexus, 251–253, 255
Haemogamasus liponyssoides, 90, 91
Haemonchus contortus, 59–61
Halipegus occidualis, 251–253, 255
Haliplidae, 240
Haliplus, 240
Haplopappus sonorensis, 138, 139, 145
Harris, John H., and Philip Leitner, Long-distance movements of juvenile Mohave ground squirrels, *Spermophilus mohavensis*, 188–196
Harrison, Robert L., see Kamler, Jan F., —
Hebetancylus, 244
Hebridae, 242
Heffelfinger, James R., see Jansen, Brian D., —

Helianthus, 476
niveus, 142
Helichus suturalis, 240
Helicopschye, 243
Helicopsychidae, 243
Helminth parasites of four species of anurans from Nuevo Leon, Mexico, Virginia León-Règagnon, Elizabeth A. Martínez-Salazar, David Lazcano-Villareal, and Rogelio Rosas-Valdez, 251–258
Helobdella, 244
Helochares, 240
Heloderma
horridum, 24–31
suspectum, 25
Helodermatidae, 25
Hemaris diffinis, 299
Hemidactylus turcicus, 435–439
Hemiuridae, 253
Hendrickson, Dean A., see Dinger, Eric C., —
Henson, Richard N., see Estep, M. C., —
Hernandez, Nancy A., see Pitts, Richard M., —
Hernández-Pérez, Omar, see León-Galván, Miguel A., —
Herpetofaunal inventory of Fort Wolters in north-central Texas, Wade A. Ryberg and Lee A. Fitzgerald, 267–272
Hesperoagrion heterodoxum, 242
Hetaerina
americana, 242
titia, 242
Heterelmis, 240
Heteromeles arbutifolia, 472–475, 477
Hewitt, David G., see Elston, Jennifer J., —
Hexacylloepus scabrosus, 240
Hexagenia, 241
Hexatoma, 241
Hibiscus denudatus, 136, 144, 146
Hibner, Charles D., see Coop, Jonathan D., —
Hilaria
mutica, 94
rigida, 144
Hill, Peggy, and Steven Goldsmith, Albert Patrick Blair, 1913–2004, 282–283
Himantopus mexicanus, 84–85
Hirundinidae, 244
Hoffman, Justin D., see Geluso, Keith, —
Holycross, Andrew T., see Babb, Randall D., —
Home range, habitat use, survival, and fecundity of Mexican spotted owls in the Sacramento Mountains, New Mexico, Joseph L. Ganey, William M. Block, James P. Ward, Jr., and Brenda E. Strohmeyer, 323–333
Hoofer, Steven R., see Ditchkoff, Stephen S., —
Hordeum vulgare, 3
Horsfordia newberryi, 133
Hotchkin, Paul, and Hector Riveroll, Jr., Comparative escape behavior of Chihuahuan Desert parthenogenetic and gonochoristic whiptail lizards, 172–177
Husak, Michael S., Atypical pair-bonding behavior among golden-fronted woodpeckers (*Melanerpes aurifrons*), 85–88
Hyalella, 238, 243
Hybognathus placitus, 489
Hydradenidae, 240
Hydrobiosidae, 243
Hydrochidae, 240
Hydrochus, 240
Hydrocotyle bonariensis, 381
Hydrometra, 242
Hydrometridae, 242
Hydrophilidae, 240
Hydropschydiae, 243
Hydroptila, 243
Hydroptilidae, 243
Hydrovatus, 240
Hyla
miotympanum, 254, 255
versicolor, 268, 269
Hyles lineata, 291, 294–299
Hylidae, 269, 490–494
Hylocharis xantusii, 446
Hymenoclea
pentalepis, 134, 142
salsola, 142, 189
Hymenocleao salsolae, 142
Hymenoptera, 302–306
Hypostomus, 246–250
Hyptis emoryi, 134

Ibervillea sonorae, 147
Ictalurus
lupus, 75–77
punctatus, 76, 77, 488
Icterus
cucullatus, 443
parisorum, 443
Idria columnaris, 132, 149
Idrietum columnaris, 137, 149
Inland occurrence of the strand plant *Ipomoea pes-caprae* (Convolvulaceae) around Lake Nicaragua, Margaret S. Devall and Leonard B. Thien, 380–384
Ipomoea pes-caprae, 380–384
Isern, Santiago Gibert, see Delgadillo Villalobos, Jonás A., —
Isocoma
menziesi, 139
menziesii, 34, 140, 142
Ivanyi, Craig S., see McCrystal, Hugh K., and —
Ixodes scapularis, 59
Ixodidae, 90

Jacquemontia abutiloides, 147
Jaguar (*Panthera onca*) in Sinaloa, Mexico, occurrence of, Carlos J. Navarro-Serment, Carlos A. López-González, and Juan-Pablo Gallo-Reynoso, 102–106
Jansen, Brian D., Paul R. Krausman, James R. Heffelfinger, and James C. deVos, Jr., Saguaro spine penetrated bighorn sheep skull, 513–515
Jansen, Brian D., see Cain, James W., III, and —
Janssen, Herb F., see McDonald, Christopher G., —
Jatropha
cinerea, 135, 139, 141, 143–146, 441
cuneata, 136, 141, 144, 146
Jaumea carnosa, 135
Jiménez-Cruz, Elsa, Aurelio Ramírez-Bautista, Jonathon C. Marshall, Miguel Lizana-Avia, and Adrían Nieto-Montes de Oca, Reproductive cycle of *Sceloporus grammicus* (Squamata: Phrynosomatidae) from Teotihuacán, México, 178–187
Johnson, Douglas H., see Littlefield, Carroll D., and —
Johnson, Heather E., see Cain, James W., III, —
Johnson, James B., Lance D. McBrayer, and Daniel Saenz, Allometry, sexual size dimorphism, and niche partitioning in the Mediterranean gecko (*Hemidactylus turcicus*), 435–439
Junco hyemalis, 443
Juniperus, 95, 293, 323, 324, 357, 370
californica, 476
communis, 213
deppeana, 325
monosperma, 199
osteosperma, 211, 463
scopulorum, 213

Kamler, Jan F., Warren B. Ballard, Robert L. Harrison, and C. Gregory Schmitt, Range expansion of red foxes in northwestern Texas and northeastern New Mexico, 100–101
Kansas gap analysis: the importance of validating distributional models before using them, A. Townsend Peterson, 230–236
Karges, John P., see Bonner, Timothy H., —
Karwinskia humboldtiana, 147

Kelley, Anita M., see McDonald, Christopher G., —
Kelley, Victor R., see Stevens, Richard T., —
Kennedy, Michael L., see Stevens, Richard T., —
Kinosternon flavescens, 166–170
Klinksiek, Edward A., see Elston, Jennifer J., —
Kochia scoparia, 451
Koprowski, John L., see Edelman, Andrew J., and —
Kostecke, Richard M., see Quarles, Abigail, —
Krameria
parvifolia, 143, 147
paucifolia, 132, 144, 147
Kraschenninnikovia lanata, 189
Krausman, Paul R., see Cain, James W., III, —
Krausman, Paul R., see Jansen, Brian D., —
Kritsky, Delane C., and Craig A. Stockwell, New species of *Gyrodactylus* (Monogenoidea, Gyrodactylidae) from the White Sands pupfish, *Cyprinodon tularosa*, in New Mexico, 312–317
Kruchek, Beth L., see Cameron, Guy N., and —

Laccobius, 240
Lacertilia, 497–498
Lacuna, 416
Laelapidae, 90
Laguncularia racemosa, 135
Laguncularia racemosae, 135, 149
Lamiaceae, 1
Lampropeltis, 25
alterna, 495
getula, 269, 270, 495, 496
guetulus, 29
mexicana, 495
triangulum, 29
Langeronia
jimenezi, 251–255
macrocirra, 251–255
Lanius ludovicianus, 272, 273, 442
Larrea tridentata, 133, 135, 137, 141–145, 147
Lasionycteris noctivagans, 200, 203
Lasiurus
blossevillii, 97
cinereus, 201–203
ega, 96–99
intermedius, 97, 98
Late Pleistocene fauna from the southern Colorado Plateau, Navajo County, Arizona, Lyndon K. Murray, Christopher J. Bell, M. Timothy Dolan, and Jim I. Mead, 363–374
Lazcano-Villareal, David, see León-Règagnon, Virginia, —
Lecithodendriidae, 253
Leitner, Philip, see Harris, John H., and —
Lemaiocereus thurberi, 146
Lemaireocereus thurberi, 441
Lemaireocerus thurberi, 133
Lemmiscus, 367, 368
curtatus, 209, 363, 364, 366, 370, 371
Lemos-Espinal, Julio, see Bryson, Robert W., Jr., —
León-Galván, Miguel A., Ricardo López-Wilchis, Omar Hernández-Pérez, Edith Arenas-Ríos, and Adolfo Rosado, Male reproductive cycle of Mexican big-eared bats, *Corynorhinus mexicanus* (Chiroptera: Vespertilionidae), 453–460
León-Règagnon, Virginia, Elizabeth A. Martínez-Salazar, David Lazcano-Villareal, and Rogelio Rosas-Valdez, Helminth parasites of four species of anurans from Nuevo Leon, Mexico, 251–258
Lepisosteus osseus, 76, 77
Lepomis
auritus, 76, 77
cyanellus, 76
macrochirus, 76
megalotis, 76
microlophus, 77
Leporidae, 365
Leptodactylidae, 493
Leptohypes, 241
Leptonema, 243
Leptonycteris curasoae, 97
Leptopceridae, 243
Leptophebiidae, 241
Leptotyphlops dulcis, 269, 270
Leptysma, 243
Leslie, David M., Jr., see Riedle, J. Daren, —
Lethocerus, 241
Leucosticte tephrocostis, 278
Leucotrichia, 243
Libellula auripennis, 243
Libellulidae, 243
Lienesch, Philip W., and Moshe Gophen, Size-selective predation by inland silversides on an exotic cladoceran, *Daphnia lumholtzi*, 158–165
Life history attributes of white sucker (*Catostomus commersoni*) in Lake Taneycomo and associated tributaries in southwestern Missouri, Carl K. Wakefield and Daniel W. Beckman, 423–434
Life history characteristics support separate origins of D-designation color pattern classes in parthenogenetic *Aspidoscelis tesselata* (Squamata: Teiidae), Harry L. Taylor, James M. Walker, James E. Cordes, and Glenn J. Manning, 258–262
Limnophila, 241
Limonia, 241
Limonium californicum, 135
Lindeman, Peter V., and Michael A. Barger, Acanthocephalan (*Neoechinorhynchus emydis*) infections in Texas map turtles (*Graptemys versa*), 12–16
Lippia
berlandieri, 1–6
graveolens, 1
Lirceus hoppinae, 388
Listophoridae, 90
Lithospermum, 213
Littlefield, Carroll D., and Douglas H. Johnson, Habitat preferences of migrant and wintering northern harriers in northwestern Texas, 448–452
Littorina, 416
Lizana-Avia, Miguel, see Jiménez-Cruz, Elsa, —
Lochmiller, Robert L., see Ditchkoff, Stephen S., —
Logan, Kenneth A., see Bauer, Jim W., —
Lonchorhina aurita, 97
Long-distance movements of juvenile Mohave ground squirrels, *Spermophilus mohavensis*, John H. Harris and Philip Leitner, 188–196
Longifoliae, 292, 293, 299, 300
Lontra canadensis, 351
López, Paola, see Munguia, Pablo, —
López-Fernández, Hernán, and Kirk O. Winemiller, Status of *Dionda diaboli* and report of established populations of exotic fish species in lower San Felipe Creek, Val Verde County, Texas, 246–251
López-González, Carlos A., see Navarro-Serment, Carlos J., —
López-González, Celia, see García-Mendoza, Diego F., and —
López-Wilchis, Ricardo, see León-Galván, Miguel A., —
Lophocereus
schotii, 136, 141
schottii, 142–146
Loricariidae, 247
Loxocemus bicolor, 24–29
Lucania parva, 76
Ludwigia, 249
Lupinus
albifrons, 34
concinnus, 139, 145
Lutrochidae, 240
Lutrochus, 240
Lycaenidae, 298
Lycietosum brevipedis, 138, 139
Lycietum brevipedis, 129, 134, 138, 140, 142
Lycium
andersonii, 132, 143–145, 147

brevipes, 134, 138–140, 142, 145
californicum, 136, 139, 140, 142–145
cooperi, 189
Lycopersicon esculentum, 472, 473, 475
Lynx rufus, 467
Lysiloma
candida, 133, 137, 146, 147, 441
divaricata, 146, 147
Lysilometum candidae, 129, 133, 137, 146, 147, 149

Machaerocereus gummosus, 441
Macrelmis, 240
Macrhybopsis aestivalis, 76, 77
Macrochelys temminckii, 79–84
Macroclemys temminckii, 14
Macromia annulata, 243
Macrophyllum macrophyllum, 97
Male reproductive cycle of Mexican big-eared bats, *Corynorhinus mexicanus* (Chiroptera: Vespertilionidae), Miguel A. León-Galván, Ricardo López-Wilchis, Omar Hernández-Pérez, Edith Arenas-Ríos, and Adolfo Rosado, 453–460
Malus, 476
Mammillaria
albicans, 144
capensis, 144, 146
dioica, 144
grahamii, 482–487
hutchinsoniana, 144
insularis, 144
Mammuthus, 363
Mandujano, Salvador, Track count calibration to estimate density of white-tailed deer (*Odocoileus virginianus*) in Mexican dry tropical forest, 223–229
Manning, Glenn J., see Taylor, Harry L., —
Marks, Jane C., see Dinger, Eric C., —
Marshall, Jonathon C., see Jiménez-Cruz, Elsa, —
Martínez-Salazar, Elizabeth A., see León-Règagnon, Virginia, —
Mascagnia macroptera, 133
Mascagnio macropterae, 133, 137, 147, 149
Mason, J. Russell, see Sherbrooke, Wade C., and —
Masters, Ronald E., see Ditchkoff, Stephen S., —
Masticophis
flagellum, 269
mentovarius, 24, 26–29
Mata-González, Ricardo, and Rubén Meléndez-González, Growth characteristics of Mexican oregano (*Lippia berlandieri* Schauer) under salt stress, 1–6
Mata-Silva, Vicente, and Aurelio Ramírez-Bautista, Reproductive characteristics of two syntopic, widely foraging lizards, *Aspidoscelis deppii* and *Aspidoscelis guttata* from Oaxaca, Mexico, 262–267
Mayatrichia, 243
Maytenetum phyllantoidis, 132, 137, 149
Maytenus phyllantoides, 132
McAliley, L. Rex, and Philip D. Sudman, Genetic diversity within the Llano pocket gopher, *Geomys texensis*, 334–341
McBrayer, Lance D., see Johnson, James B., —
McCormack, John E., Gabriela Castañeda Guayasamin, Borja Mila, and Feliciano Heredia Pineda, Slate-throated redstarts (*Myioborus miniatus*) breeding in Maderas del Carmen, Coahuila, Mexico, 501–503
McCrystal, Hugh K., and Craig S. Ivanyi, Striped neonate with additional notes on polymorphism in the western long-nosed snake (*Rhinocheilus lecontei lecontei*), 494–496
McDonald, Christopher G., Steve Demarais, Tyler A. Campbell, Herb F. Janssen, Vivien G. Allen, and Anita M. Kelley, Physical and chemical characteristics of antlers and antler breakage in white-tailed deer, 356–362
McKinney, Bonnie Reynolds, see Delgadillo Villalobos, Jonás A., —
Mead, Jim I., see Murray, Lyndon K., —
Megacerus leucospilus, 381, 383
Megalodiscus
americanum, 255
americanus, 251–253
Melanerpes
aurifrons, 85–88
uropygialis, 442, 444
Melanoides tuberculata, 239, 244, 245
Meleagris gallopavo, 467
Meléndez-González, Rubén, see Mata-González, Ricardo, and —
Menidia beryllina, 76, 77, 158, 159, 161, 162
Menzelia cordata, 134
Mephitis mephitis, 468
Merragata hebroides, 242
Merremia aurea, 133, 146
Merremio aureae, 129, 133, 137, 146, 147
Mesembryanthemum
crystallinum, 34
nodiflorum, 34, 141
Mesocestoides, 37
Mesovelia, 242
Mesoveliidae, 242
Metrichia, 243
Metrobates, 241
MHC-DRB evolution provides insight into parasite resistance in white-tailed deer, Stephen S. Ditchkoff, Steven R. Hoofer, Robert L. Lochmiller, Ronald E. Masters, and Ronald A. Van Den Bussche, 57–64
Micrathene whitneyi, 446
Microcylloepus, 240
Microhylidae, 269
Micronycteris microtis, 97
Micropterus salmoides, 76
Microtus
mexicanus, 276
mogollonensis, 275, 276
pennsylvanicus, 276
Micrurus
distans, 24–27, 29
limbatus, 24–27, 29
Milá, Borja, see McCormack, John E., —
Miller, Aaron J., see Coop, Jonathan D., —
Mimosa
asperata, 479
luisana, 376, 377
Mimosideae, 69–74
Mimus polyglottos, 442, 443
Molossidae, 97
Molossus
molossus, 97
rufus, 97
Molothrus ater, 443
Monanthochlöe littoralis, 135, 140, 141, 398
Monanthochloo, 135
littoralis, 149
Monogenoidea, 312–317
Moraceae, 475
Mormoopidae, 97
Mormoops megalophylla, 97
Morphometric variation in the cranium, mandible, and dentition of *Canis latrans* and *Canis lepophagus* (Carnivora: Canidae) and its implications for the identification of isolated fossil specimens, Gabe S. Bever, 42–56
Moxostoma congestum, 76
Muhlenbergia emersleyi, 94
Munguia, Pablo, Paola López, and Iris Fortes, Seasonal changes in waterbird habitat and occurrence in Laguna de Sayula, western Mexico, 318–322
Munson, Linda, see Coonan, Timothy J., —
Murray, Lyndon K., Christopher J. Bell, M. Timothy Dolan, and Jim I. Mead, Late Pleistocene fauna from the southern Colorado Plateau, Navajo County, Arizona, 363–374
Murrell, Zack E., see Estep, M. C., —
Mus musculus, 450, 505
Mustela vison, 350–355

Myiarchus
cinerascens, 440, 442
crinitus, 231
Myioborus miniatus, 501–503
Myobiidae, 90
Myocoptes musculinus, 90, 91
Myocoptidae, 90
Myotis, 204
californicus, 201, 203
ciliolabrum, 201–203
elegans, 97
evotis, 201–203
fortidens, 97
grisescens, 386, 387
keaysi, 97
nigricans, 97
thysanodes, 201–203
velifer, 97
volans, 200–203
yumanensis, 201–203
Myrtillocactus
cochal, 133
geometrizans, 376

Nasella pulchra, 34
Nasua narica, 104
Natalidae, 97
Natalus stramineus, 97
Native woodland loss during the mid 1900s in Cameron County, Texas, Thomas A. Tremblay, William A. White, and Jay A. Raney, 479–482
Naucoridae, 242
Navarro-Serment, Carlos J., Carlos A. López-González, and Juan-Pablo Gallo-Reynoso, Occurrence of jaguar (*Panthera onca*) in Sinaloa, Mexico, 102–106
Nectopschye, *243*
Nehallenia minuta, 242
Nelsonia
goldmani, 503
neotomodon, 503–506
Nematotaeniidae, 253
Nemotelus, 241
Neobuxbaumia
tetetzo, 472
tetezo, 377, 379
Neoechinorhynchus
emydis, 12–16
stunkardi, 12
Neotoma
albigula, 275
cinerea, 209–215
fuscipes, 331
mexicana, 505
Neotrombicula fitchi, 90, 91
Nepidae, 242
Nerodia
erythrogaster, 269
harteri, 270
rhombifer, 269, 270
Nest record of *Sorex milleri* from Maderas del Carmen, México, Jonás A. Delgadillo Villalobos, Bonnie Reynolds McKinney, Felicianao Heredia Pineda, and Santiago Gibert Isern, 94–95
Newbold, T. A. Scott, Desert horned lizard (*Phrynosoma platyrhinos*) locomotor performance: the influence of cheatgrass (*Bromus tectorum*), 17–23
Nicolletia trifida, 145
Niebla, 140
Nielsen, David I., see Rabe, Michael J., —
Nieto-Montes de Oca, Adrian, see Jimenez-Cruz, Elsa, —
Noctilio
albiventris, 97
leporinus, 97
Noctilionidae, 97
Noctuidae, 278, 297
Notiodes, 240
Notiosorex crawfordi, 95
Notropis
amabilis, 75–77
atherinoides, 162
blennius, 488–490
braytoni, 76, 77
girardi, 488, 489
jemezanus, 75–77
stramineus, 76, 77
Nucifraga columbiana, 278
Numenius americanus, 318, 319
Nyctaginaceae, 213
Nyctalus noctula, 457
Nyctinomops
laticaudatus, 97
macrotis, 201–203
Nymphalidae, 296

Octhebius, 240
Odocoileus
hemionus, 466–471
virginianus, 57–64, 104, 223–229, 356–362, 516
Oecetis, 243
Olea
europaea, 476
europaeae, 3
Oleaceae, 476
Olneya tesota, 142, 144
Ophiotaenia filaroides, 251–255
Opuntia, 213, 441, 479, 486
alcahes, 144
bigelovii, 272–273
brevispina, 147
cholla, 132, 142–144
ciribe, 136, 144, 146
clavellina, 147
echinocarpa, 132
engelmannii, 484, 485
ganderi, 144, 147
invicta, 132, 141, 143, 144
kelvinensis, 485
leptocaulis, 485
littoralis, 142, 472–477
molesta, 144
rastrera, 472
tapona, 133, 147
Opuntio
invictae, 141, 144
taponae, 129, 141, 149
Orchopeas leucopus, 90
Orconectes neglectus, 386, 387
Oreochromis aureus, 246, 247, 249
Origanum vulgare, 1, 4
Orycteroxenus soricis, 90, 91
Oryx gazella, 469
Oryzomys palustris, 397, 398
Oryzopsis hymenoides, 213
Ostertagia
dikmansi, 59–61
mossi, 59–61
ostertagia, 59
Oswaldocruzia pipiens, 254, 255
Otus flammeolus, 500
Ovis
aries, 58
canadensis, 308, 469, 506–513, 513–515
Owen, James G., Three new records of bats from El Salvador, 96–99
Oxeytheira, 243
Oxybelis aeneus, 24–27, 29

Pachycereetosum pecten-aborigini, 146, 147
Pachycereus
pecten-aborigenum, 146
pringlei, 135, 141–146, 149, 379, 441, 484
schottii, 484
weberi, 376
Pachycormetum veatchianae, 129, 133, 140, 143
Pachycormus
discolor, 133, 137, 141–143
pubescens, 133
Pachydiplax longipennis, 243
Packrat middens and late Holocene environmental change in southwestern Colorado, Steven D. Emslie, Mark Stiger, and Ellen Wambach, 209–215
Palaemonetes suttkusi, 238, 243
Palaemonidae, 238, 243
Palpomyia, 240
Pandion haliaetus, 446
Panicum miliaceum, 472, 473, 475
Panthera onca, 102–106
Papilo glaucus, 299
Parabagrotis insularis, 297–299
Paramphistomidae, 253
Parkinsonia aculeata, 479
Parula pitiayumi, 442, 443
Paruroctonus
boquillas, 150–153
gracilior, 150–153
utahensis, 150–157
Passerculus sandwichensis, 450
Passerina versicolor, 442

Passiflora foetida, 147
Pasturella multoceda, 450
Patrikeev, Michael, Timothy H. Bonner, and G. Matthew Trujillo, Occurrence of the river shiner, *Notropis blennius*, in Lake Meredith, Texas, 488–490
Patterns of occurrence and abundance of land birds on Espíritu Santo Island, Gulf of California, México, Roberto Carmona, Gorgonio Ruiz-Campos, José Alfredo Castillo-Guerrero, and Georgina Brabata, 440–447
Pedilanthus macrocarpus, 136, 144
Peinado, Manuel, José Delgadillo, and Juan L. Aguirre, Plant associations of El Vizcaíno Biosphere Reserve, Baja California Sur, Mexico, 129–149
Pérez, Fabiola, see Godínez-Alvarez, Héctor, —
Peromyscus
attwateri, 343, 349
boylii, 95, 505
difficilis, 505
gossypinus, 398
gratus, 505
maniculatis, 38
maniculatus, 91, 275, 450
Peropteryx macrotis, 97
Persistent or transient seed banks in three Sonoran Desert cacti, new evidence for, Janice E. Bowers, 482–487
Petalonix thurberi, 142, 143
Peterson, A. Townsend, Kansas gap analysis: the importance of validating distributional models before using them, 230–236
Petrophila, 242
Phainopepla nitens, 442
Phalacrocorax penicillatum, 252
Phanaeus, 91
Phaseolus atropurpureus, 145
Pheidole, 377
Pheucticus melanocephalus, 442, 520
Phillips, Sherman A., Jr., see Quarles, Abigail, —
Phlox
cuspidata, 292
diffusa, 298
divaricata, 299
dolichantha, 291–301
drummondii, 293
grayi, 291–301
stansburyi, 291–301
superba, 291–301
Phoenix, 472, 473, 475
Phrynosoma
cornutum, 21, 216–222, 270
douglassii, 209
modestum, 21
platyrhinos, 17–23
Phrynosomatidae, 178–187
Phyllogomphoides, 243
Phyllostomidae, 97
Phyllostomus discolor, 97
Physa
acuta, 415–422
ancillaria, 415
cubensis, 420
gyrina, 415
heterostropha, 415, 420
integra, 415
virgata, 415–422
Physalaemus pustulosus, 493
Physalis, 209
Physella, 244
Physical and chemical characteristics of antlers and antler breakage in white-tailed deer, Christopher G. McDonald, Steve Demarais, Tyler A. Campbell, Herb F. Janssen, Vivien G. Allen, and Anita M. Kelley, 356–362
Physidae, 244, 415
Physocarpus monogynus, 502
Picea, 8
engelmannii, 199, 211, 212, 462
englemanii, 370
pungens, 211, 213
Picoides scalaris, 442
Piculus rubinosus, 347
Pieridae, 297
Pimephales vigilax, 76, 77, 488
Pineda, Felicianao Heredia, see Delgadillo Villalobos, Jonás A., —
Pineda, Feliciano Heredia, see McCormack, John E., —
Pinus, 103, 179, 370, 467, 501, 503
aristata, 211–214
contorta, 209, 211–213
edulis, 199, 209, 212, 323, 324, 461
engelmannii, 8, 9
flexilis, 199, 211, 213
leiophylla, 8, 9
monophylla, 293
ponderosa, 199, 209, 211–213, 293, 323, 325, 461, 502
strobiformis, 94, 325, 461, 462, 502
Pipilo chlorurus, 442
Pipistrellus
hesperus, 200, 202, 203
pipistrellus, 457, 458
Piptochaetum pringlei, 94
Pistia stratiodes, 381
Pisum sativum, 3
Pitecellobium confine, 144
Pitts, Richard M., Jerry R. Choate, and Nancy A. Hernandez, Reproduction of the plains pocket gopher (*Geomys bursarius*) and Baird's pocket gopher (*G. breviceps*) in Texas, 393–397
Pituophis
deppei, 24–27, 29
melanoleucus, 29
Plagiorchiidae, 253
Plant associations of El Vizcaíno Biosphere Reserve, Baja California Sur, Mexico, Manuel Peinado, José Delgadillo, and Juan L. Aguirre, 129–149
Platydoras costatus, 247
Platygobio gracilis, 489
Platygonus, 370
bicalcaratus, 367, 368
compressus, 363, 366–369, 371
leptorhinus, 369
pearcei, 367, 368
vetus, 367–369
Platyrrhinus helleri, 97
Plegadis chihi, 320
Plethodontidae, 365
Poaceae, 91, 475, 476
Pogonomyrmex, 217, 220
barbatus, 377
Polemoniaceae, 291–301
Polioptila
caerulea, 440, 442
californica, 440–442
Pollination biology of four southwestern species of *Phlox* (Polemoniaceae): insect visitation in relation to corolla tube length, Suzanne C. Strakosh and Carolyn J. Ferguson, 291–301
Polycentropidae, 243
Polygonum
aviculare, 213
scandens, 213
Polyplectropus, 243
Polystomatidae, 253
Pomoxis annularis, 76, 77
Poocetes gramineus, 450
Populus
angustifolia, 199
tremuloides, 94, 199, 211, 213, 325, 462
Potentilla tridentata, 213
Powers, Sara M., see Stone, Paul A., —
Probable hybridization in the *Acacia constricta* species group (Fabaceae: Mimosideae), H. David Clarke, John E. Ebinger, and David S. Seigler, 69–74
Probezzia, 240
Procambarus
clarkii, 243–245
lucifugus, 388
Procyon lotor, 467, 477
Progomphus borealis, 243
Prosopidetum torreyanae, 134
Prosopis, 357, 441
articulata, 136, 144, 146
glandulosa, 86, 134, 149, 472, 473, 475, 479
laevigata, 376
palmeri, 146
Prosopoidetum torreyanae, 149
Proteocephalidae, 253

Protomyobia blarinae, 90, 91
Protoneura, 242
Protoneuridae, 242
Prunus, 473
americana, 472
ilicifolia, 472, 473, 475
persica, 476
Psephenidae, 240
Psephenus texanus, 240
Pseudacris
clarki, 269
streckeri, 269, 490–494
Pseudemys
concinna, 14, 166, 168, 169
texana, 269, 270
Pseudodiplorchis americana, 251–255
Pseudoelaphe flavirufa, 24–27, 29
Pseudotsuga
menzeisii, 213
menziesii, 94, 199, 211, 325, 370, 461, 462, 502
Pteronotus
davyi, 97
gymnonotus, 97
parnellii, 97
personatus, 97
Pterygoplichthys, 247
Pulvinatae, 292
Puma concolor, 466–471
Purshia tridentata, 213
Pygmeophoridae, 90
Pygmephorus whitakeri, 90
Pylodictis olivaris, 76, 77
Pyracantha, 472, 473, 475, 477
Pyralidae, 242

Quarles, Abigail, Richard M. Kostecke, and Sherman A. Phillips, Jr., Supercooling of the red imported fire ant (Hymenoptera: Formicidae) on a latitudinal temperature gradient in Texas, 302–306
Quercus, 7, 9, 10, 103, 179, 357, 467, 501, 503
arizonica, 8
gambeli, 463
gambelii, 213, 325
griseus, 325
hypoleucoides, 8, 94
marilandica, 268
rugosa, 502
sideroxila, 502
stellata, 268
texana, 268
undulatus, 325
virginiana, 268
Quimperiidae, 253

Rabe, Michael J., Steven S. Rosenstock, and David I. Nielsen, Feral Africanized honey bees (*Apis mellifera*) in Sonoran Desert habitats of southwestern Arizona, 307–311
Ramírez-Bautista, Aurelio, see Balderas-Valdivia, Carlos J., and —
Ramírez-Bautista, Aurelio, see Jiménez-Cruz, Elsa, —
Ramírez-Bautista, Aurelio, see Mata-Silva, Vicente, and —
Rana
berlandieri, 251, 252, 254, 255
blairi, 269
catesbeiana, 269, 388, 492
dunni, 254
magnaocularis, 254
onca, 412, 525
palustris, 385–389
pipiens, 252
Ranatra, 242
Raney, Jay A., see Tremblay, Thomas A., —
Ranidae, 269
Rattus, 343
Recurvirostra americana, 320
Red foxes in northwestern Texas and northeastern New Mexico, range expansion of, Jan F. Kamler, Warren B. Ballard, Robert L. Harrison, and C. Gregory Schmitt, 100–101
Regulus calendula, 446
Reithrodontomys megalotis, 95, 450
Reproduction of the plains pocket gopher (*Geomys bursarius*) and Baird's pocket gopher (*G. breviceps*) in Texas, Richard M. Pitts, Jerry R. Choate, and Nancy A. Hernandez, 393–397
Reproductive characteristics of two syntopic, widely foraging lizards, *Aspidoscelis deppii* and *Aspidoscelis guttata* from Oaxaca, Mexico, Vicente Mata-Silva and Aurelio Ramírez-Bautista, 262–267
Reproductive cycle of *Sceloporus grammicus* (Squamata: Phrynosomatidae) from Teotihuacán, México, Elsa Jiménez-Cruz, Aurelio Ramírez-Bautista, Jonathon C. Marshall, Miguel Lizana-Avia, and Adrián Nieto-Montes de Oca, 178–187
Reproductive isolation between freshwater pulmonate snails *Physa virgata* and *P. acuta*, no, Robert T. Dillon, Jr., John D. Robinson, Thomas P. Smith, and Amy R. Wethington, 415–422
Response of *Arbutus arizonica* (Arizona madrone) to fire in southeastern Arizona, Andrew M. Barton, 7–11
Rhabdias
americanus, 255
elegans, 255
forreri, 255
fülleborni, 251–253, 255
fuscovenosa, 255
ranae, 255
savagei, 251–253, 255
sphaerocephala, 252, 255
tobagoensis, 255
Rhabdiasidae, 253
Rhagovelia, 237
novahispanae, 242
Rhantus, 240
Rhinocheilus lecontei, 494–496
Rhizophora mangle, 135
Rhizophoretum mangle, 135, 149
Rhodacaridae, 90
Rhodacarus, 90
Rhogessa tumida, 97
Rhus
aromatica, 268
tepetate, 147
trilobata, 213
Rhyacophylax, 243
Rhynchonycteris naso, 97
Ribes inerme, 213
Riedle, J. Daren, Paul A. Shipman, Stanley F. Fox, and David M. Leslie, Jr., Status and distribution of the alligator snapping turtle, *Macrochelys temminckii*, in Oklahoma, 79–84
Ríos-Casanova, Leticia, see Godínez-Alvarez, Héctor, —
Ritzi, Christopher M., Brian C. Bartels, and Dale W. Sparks, Ectoparasites and food habits of Elliot's short-tailed shrew, *Blarina hylophaga*, 88–93
River shiner, *Notropis blennius*, in Lake Meredith, Texas, occurrence of the, Michael Patrikeev, Timothy H. Bonner, and G. Matthew Trujillo, 488–490
Riveroll, Hector, Jr., see Hotchkin, Paul, and —
Robinson, John D., see Dillon, Robert T., Jr., —
Roemer, Gary W., see Coonan, Timothy J., —
Romerolagus, 366
diazi, 365
Rosa woodsii, 213
Rosaceae, 475, 476
Rosado, Adolfo, see León-Galván, Miguel A., —
Rosas-Valdez, Rogelio, see León-Règagnon, Virginia, —
Rosenstock, Steven S., see Rabe, Michael J., —
Ruella californica, 146
Ruellia
californica, 136, 144
leucantha, 147
peninsularis, 136, 146
Ruiz-Campos, Gorgonio, see Carmona, Roberto, —
Rutaceae, 476
Ryberg, Wade A., and Lee A. Fitzgerald, Herpetofaunal inventory of

Fort Wolters in north-central Texas, 267–272

Saccopteryx
bilineata, 97
leptura, 97
Saenz, Daniel, see Johnson, James B., —
Saguaro (*Carnegiea gigantea*, Cactaceae) growth rate over its American range and the link to summer precipitation, Taly Dawn Drezner, 65–68
Saguaro spine penetrated bighorn sheep skull, Brian D. Jansen, Paul R. Krausman, James R. Heffelfinger, and James C. deVos, Jr., 513–515
Salamandridae, 365
Salicornia
bigelovii, 135, 398
virginica, 398
Salicornietum bigelovii, 135, 149
Salix, 199, 213
Salpinctes obsoletus, 442
Salsola kali, 141
Sapium biloculare, 147
Sarcocornia pacifica, 135, 138
Sarcocornietum pacificae, 135, 149
Sarcophagidae, 295, 299
Sarcostemma arenarium, 139
Satyium, 298
Sayornis
phoebe, 231, 232, 234
saya, 232, 234, 446
Scaphiopus couchii, 251, 252, 254, 255
Scarabidae, 91
Scavenging behavior in puma, Jim W. Bauer, Kenneth A. Logan, Linda L. Sweanor, and Walter M. Boyce, 466–471
Sceloporus
anahuacus, 179
bicanthalis, 179
formosus, 179, 183, 184
grammicus, 178–187
jarrovi, 178, 179, 185, 216, 217
mucronatus, 184, 185
olivaceus, 269
pclaciosi, 179
scalaris, 263
spinosus, 263
torquatus, 184
undulatus, 269
variabilis, 178
Schizachyrium scoparium, 268, 398
Schmitt, C. Gregory, see Kamler, Jan F., —
Schwemm, Catherin A., see Coonan, Timothy J., —
Scincella lateralis, 269
Scincidae, 25
Sciurus aberti, 461–465
Scotinomys
teguina, 343, 349
xerampelinus, 349
Scotophilus heathi, 458
Seasonal changes in waterbird habitat and occurrence in Laguna de Sayula, western Mexico, Pablo Munguia, Paola López, and Iris Fortes, 318–322
Seasonal movement patterns of pickerel frogs (*Rana palustris*) in an Ozark cave and tropic implications supported by stable isotope evidence, Danté B. Fenolio, G. O. Graening, and Jim F. Stout, 385–389
Seigler, David S., see Clarke, H. David, —
Sensory modality used by coyotes in responding to antipredator compounds in the blood of Texas horned lizards, Wade C. Sherbrooke and J. Russell Mason, 216–222
Serpentes, 390–392
Sherbrooke, Wade C., and J. Russell Mason, Sensory modality used by coyotes in responding to antipredator compounds in the blood of Texas horned lizards, 216–222
Sherwin, Richard E., and William L. Gannon, Documentation of an urban winter roost of the spotted bat (*Euderma maculatum*), 402–407
Shipman, Paul A., see Riedle, J. Daren, —
Sialia sialis, 231
Sialidae, 242
Sialis, 242
Sigmodon, 342–349, 364
alleni, 342, 344–347, 349
alstoni, 342, 344–346, 349
arizonae, 342–344, 346, 349
fulviventer, 273–277, 342, 344–346, 349
hirsutus, 342, 344–347, 349
hispidus, 276, 342, 344–347, 349, 397–402, 450
inopinatus, 342
leucotis, 342, 344, 346, 349
mascotensis, 342–344, 346, 349
ochrognathus, 95, 342–344, 346, 349
peruanus, 342
toltecus, 342, 344–347, 349
Silverstein, Robin P., Germination of native and exotic plant seeds dispersed by coyotes (*Canis latrans*) in southern California, 472–478
Simmondsia chinensis, 132, 142, 143
Simuliidae, 241
Simulium, 241
Sirenidae, 365
Size-selective predation by inland silversides on an exotic cladoceran, *Daphnia lumholtzi*, Philip W. Lienesch and Moshe Gophen, 158–165
Slate-throated redstarts (*Myioborus miniatus*) breeding in Maderas del Carmen, Coahuila, Mexico, John E. McCormack, Gabriela Castañeda Guayasamin, Borja Milá, and Feliciano Heredia Pineda, 501–503
Small, Randall L., see Estep, M. C., —
Smerinthus jamaicensis, 299
Smicridea, 243
Smicrideae, 243
Smilax bonanox, 268
Smith, Hobart M., see Bryson, Robert W., Jr., —
Smith, Thomas P., see Dillon, Robert T., Jr., —
Solanaceae, 475
Solanum
hindsianum, 142, 143, 145, 147
lycocarpum, 477
melongena, 3
xanti, 147
Solenopsis invicta, 302–306
Sonora semiannulata, 269
Sorex, 92
cinereus, 94
milleri, 94–95
Sorgastrum nutans, 268
Sorghum bicolor, 476
Southwestern Association of Naturalists Constitution, 107–121
Sparks, Dale W., see Ritzi, Christopher M., —
Spartina
alterniflora, 398
foliosa, 135, 138
spartinae, 398
Spartinetum foliosae, 135, 149
Spermophilus, 364
beldingi, 192–194
columbianus, 192, 193
elegans, 193
mohavensis, 188–196
parryii, 192, 193
richardsonii, 193
tereticaudus, 189
townsendii, 193
tridecemlineatus, 193, 209
variegatus, 193
Sphaeralcea fulva, 139, 145
Sphingidae, 295–298
Spirocerca, 32, 37, 38
Spizella
breweri, 520
pallida, 443
passerina, 442
Sporobolus
airoides, 275
virginicus, 141
Squamata, 178–187, 258–262
Staphylinidae, 294, 295

Status and distribution of the alligator snapping turtle, *Macrochelys temminckii*, in Oklahoma, J. Daren Riedle, Paul A. Shipman, Stanley F. Fox, and David M. Leslie, Jr., 79–84
Stegomastodon barbouri, 363
Stenelmis, 240
Stenocereus
gummosus, 135, 141, 143, 144, 146, 484
stellatus, 375–380
thurberi, 136, 144, 146, 379, 484
Stenopomia americana, 89, 91
Stevens, Richard T., Michael L. Kennedy, and Victor R. Kelley, Genetic structure of American mink (*Mustela vison*) populations, 350–355
Stiger, Mark, see Emslie, Steven D., —
Stillingia linearifolia, 139, 145
Stockoceros, 370
onusrosagris, 369
Stockwell, Craig A., see Kritsky, Delane C., and —
Stone, Paul A., Sara M. Powers, and Marie E. Babb, Freshwater turtle assemblages in central Oklahoma farm ponds, 166–171
Stout, Jim F., see Fenolio, Danté B., —
Strakosh, Suzanne C., and Carolyn J. Ferguson, Pollination biology of four southwestern species of *Phlox* (Polemoniaceae): insect visitation in relation to corolla tube length, 291–301
Stratiomyidae, 241
Stratiomys, 241
Striped neonate with additional notes on polymorphism in the western long-nosed snake (*Rhinocheilus lecontei lecontei*), Hugh K. McCrystal and Craig S. Ivanyi, 494–496
Strix
aluco, 498
occidentalis, 323–333
Strohmeyer, Brenda E., see Ganey, Joseph L., —
Sturnella, 450
Sturnira
lilium, 97
ludovici, 97
Stygobromus, 386, 387
Suaeda, 137
esteroa, 135
moquinni, 134
taxifolia, 140, 142, 143
Suaedetum moquinii, 134, 149
Suaedo taxifoliae, 129, 134, 138, 140
Sudman, Philip D., see McAliley, L. Rex, and —
Supercooling of the red imported fire ant (Hymenoptera: Formicidae) on a latitudinal temperature gradient in Texas, Abigail Quarles, Richard M. Kostecke, and Sherman A. Phillips, Jr., 302–306
Sus scrofa, 104, 515–519
Sweanor, Linda L., see Bauer, Jim W., —
Syagrus romanzoffiana, 476
Sylvilagus, 330
audubonii, 365, 366
bachmani, 365, 366
leonensis, 365
nuttallii, 365, 366
palustrellus, 365, 366
Syrphidae, 295, 296
Syrphus, 294, 295, 299
Systematics of the genus *Sigmodon*: DNA sequences from beta-fibrinogen and cytochrome *b*, Darin S. Carroll and Robert D. Bradley, 342–349

Tabanidae, 241
Tabanus, 241
Tachycineta
bicolor, 272–273
thalassina, 446
Tachypeza, 291, 294, 297, 299
Tadarida brasiliensis, 200–203
Tail measurements of *Bubo virginianus* from Texas, unusual, Daniel M. Brooks and Keith A. Arnold, 498–501
Taltridae, 238
Tamias, 364
dorsalis, 505
Tamiasciurus hudsonicus, 464
Tantilla gracilis, 269, 270
Tawny-bellied cotton rat (*Sigmodon fulviventer*) in west-central New Mexico, westward expansion of the, Keith Geluso, Justin D. Hoffman, Vikki A. Ashe, Jeremy A. White, and Michael A. Bogan, 273–277
Taxonomic status of the Madrean alligator lizard (Lacertilia: Anguidae) of the Sierra del Nido, Chihuahua, México, Robert W. Bryson, Jr., Hobart M. Smith, and Julio Lemos-Espinal, 497–498
Tayassu tajacu, 104, 515–519
Tayassuidae, 366
Taylor, Harry L., James M. Walker, James E. Cordes, and Glenn J. Manning, Life history characteristics support separate origins of D-designation color pattern classes in parthenogenetic *Aspidoscelis tesselata* (Squamata: Teiidae), 258–262
Tecoma stans, 146
Teiidae, 25, 172, 258–262
Telorchis corti, 13, 14
Temporal assessment of a West Texas stream fish assemblage, Timothy H. Bonner, Chad Thomas, Casey S. Williams, and John P. Karges, 74–78
Testing a vicariance model to explain haplotype distribution in the psammophilic scorpion *Paruroctonus utahensis*, M. C. Estep, Mary U. Connell, Richard N. Henson, Zack E. Murrell, Randall L. Small, 150–157
Tetracoccus capensis, 146
Thamnophis proximus, 269
Thermus aquaticus, 335
Thiara granifera, 244, 245
Thiaridae, 244, 245
Thien, Leonard B., see Devall, Margaret S., and —
Thomas, Chad, see Bonner, Timothy H., —
Thomomys, 364
bottae, 94
Thraulodes, 241
Thripidae, 294
Thryomanes bewickii, 442
Thryothorus ludovicianus, 231
Tillandsia recurvata, 144
Tipulidae, 241
Toxostoma cinereum, 442
Trachemys scripta, 14, 15, 166, 168–170, 269
Trachops cirrhosus, 97
Track count calibration to estimate density of white-tailed deer (*Odocoileus virginianus*) in Mexican dry tropical forest, Salvador Mandujano, 223–229
Traverella, 241
Tree swallow entangled on teddy bear cholla spines, James W. Cain, III and Brian D. Jansen, 272–273
Tremblay, Thomas A., William A. White, and Jay A. Raney, Native woodland loss during the mid 1900s in Cameron County, Texas, 479–482
Trepobates, 241
Trichocorixia, 241
Tricorythodes, 241
Tricorythodidae, 241
Trimorphodon biscutatus, 24–27, 29
Tringa flavipes, 320
Triticum aestivum, 3, 476
Trixis californica, 136, 143, 144
Troglodytes aedon, 231, 280
Trombiculidae, 90
Tropisternus lateralis, 240
Trujillo, G. Matthew, see Patrikeev, Michael, —
Trypsacum, 398
Tylomys nudicaudus, 343, 349
Typha, 398
dominguensis, 245
Tyrannus forficatus, 231

Uncinaria stenocephala, 32, 37, 38

Urban winter roost of the spotted bat (*Euderma maculatum*), documentation of an, Richard E. Sherwin and William L. Gannon, 402–407
Urocyon
cinereoargenteus, 32, 468
littoralis, 32–41
Uroderma
bilobatum, 97
magnirostrum, 97
Ursus
americanus, 278–281
arctos, 278, 281

Vaejovis spinigerus, 392
Van Den Bussche, Ronald A., see Ditchkoff, Stephen S., —
Vanessa, 296
Varanidae, 25
Varroa destructor, 308
Veliidae, 237, 242
Verbeneceae, 1
Vermivora celata, 442, 520
Vespertilionidae, 97, 453–460
Viguiera
chenopodina, 138
deltoidea, 139, 142, 145
lanata, 138
microphylla, 136, 142, 143, 145
Vipera verus, 25
Vireo
bellii, 446
gilvus, 231, 232
Virginia striatula, 269
Vitaceae, 475
Vitis, 472, 474, 475
Vulpes
macrotis, 216
vulpes, 100–101

Wakefield, Carl K., and Daniel W. Beckman, Life history attributes of white sucker (*Catostomus commersoni*) in Lake Taneycomo and associated tributaries in southwestern Missouri, 423–434
Walker, James M., see Taylor, Harry L., —
Wambach, Ellen, see Emslie, Steven D., —
Ward, James P., Jr., see Ganey, Joseph L., —
Washingtonia filifera, 472, 473, 475, 476
Wethington, Amy R., see Dillon, Robert T., Jr., —
White, Jeremy A., see Geluso, Keith, —
White, William A., see Tremblay, Thomas A., —
Wildfire and desert bighorn sheep habitat, Santa Catalina Mountains, Arizona, James W. Cain, III, Heather E. Johnson, and Paul R. Krausman, 506–513
Williams, Casey S., see Bonner, Timothy H., —
Winemiller, Kirk O., see López-Fernández, Hernán, and —

Xylococcus bicolor, 473, 476, 477
Xylocopa, 294, 297–299

Yucca, 476
brevifolia, 192
capensis, 147
glauca, 213
rostrata, 95
valida, 133, 139, 142–145
Yucco validae, 133, 141, 144, 147

Zanthoxylum fagara, 479
Zea mays, 3
Zenaida
asiatica, 442
macroura, 446
Zonotrichia leucophrys, 443